

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02.03.2015	1506496-00001	Date of first issue: 02.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	: MOLYKOTE(R) G-1054 GREASE	
Product code	: 00000000004101635	
		_

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: L	ubricants and lubricant additives
stance/Mixture		

1.3 Details of the supplier of the safety data sheet

Company	: Dow Corning Europe S.A. rue Jules Bordet - Parc Industriel - 2 B-7180 Seneffe	Ione C
Telephone	 English Tel: +49 611237507 Deutsch Tel: +49 611237500 Français Tel: +32 64511149 Italiano Tel: +32 64511170 Español Tel: +32 64511163 	
E-mail address of person responsible for the SDS	: sdseu@dowcorning.com	

1.4 Emergency telephone number

Dow Corning (Barry U.K. 24h) Tél: +44 1446732350 Dow Corning (Wiesbaden 24h) Tél: +49 61122158 Dow Corning (Seneffe 24h) Tel: +32 64 888240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210	Safety data sheet available on request.
EUH208	Contains N,N-Bis(2-ethylhexyl)-ar-methyl-1H-benzotriazole-1-methanamine.



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02.03.2015	1506496-00001	Date of first issue: 02.03.2015

May produce an allergic reaction.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Organic grease

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Dec-1-ene, homopoly- mer, hydrogenated	68037-01-4 500-183-1 01- 2119486452-34	Xn; R65	Asp. Tox. 1; H304	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Protection of first-aiders	: No special precautions are necessary for first aid responders.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
4.2 Most important symptoms	s and effects, both acute and delayed
Risks	: May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically and supportively.



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02.03.2015	1506496-00001	Date of first issue: 02.03.2015

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	: None known.
0 Ou saist kananda anisin a fasas	

5.2 Special hazards arising from the substance or mixture

J.Z Opecial hazarus ansing nom	
Specific hazards during fire- fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	: Carbon oxides Metal oxides
5.3 Advice for firefighters	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.
Specific extinguishing meth- ods	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Follow safe handling advice and personal protective equip- ment recommendations.
6.2 Environmental precautions Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so.
		Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material.	
		For large spills, provide dyking or other appropriate contain-	
		ment to keep material from spreading. If dyked material can	
		be pumped, store recovered material in appropriate container.	



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02.03.2015	1506496-00001	Date of first issue: 02.03.2015
		bent. Local or nationa posal of this ma employed in the mine which reg Sections 13 and	ning materials from spill with suitable absor- al regulations may apply to releases and dis- aterial, as well as those materials and items a cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	 Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
7.2 Conditions for safe storage, in	ncluding any incompatibilities
Requirements for storage areas and containers	: Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types: Strong oxidizing agents
7.3 Specific end use(s)	

Specific use(s)

: These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02.03.2015	1506496-00001	Date of first issue: 02.03.2015

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection	:	Wear the following personal protective equipment: Safety glasses
Hand protection Remarks	:	For prolonged or repeated contact use protective gloves. Wash hands before breaks and at the end of workday.
Skin and body protection	:	Skin should be washed after contact.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Grease
Colour	: white to off-white
Odour	: slight
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: Not applicable
Flash point	: > 100 °C Method: Seta closed cup
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not classified as a flammability hazard

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

DOW CORNING

MOLYKOTE(R) G-1054 GREASE

Vers 1.0	sion	Revision Date: 02.03.2015		DS Number: 06496-00001	Date of last issue: - Date of first issue: 02.03.2015
	Upper	explosion limit	:	No data available	9
	Lower	explosion limit	:	No data available	9
	Vapour	rpressure	:	Not applicable	
	Relativ	e vapour density	:	No data available)
	Relativ	e density	:	0.84	
	Solubil Wate	ity(ies) er solubility	:	No data available	9
	Partitio octano	n coefficient: n- l/water	:	No data available	
	Auto-ig	nition temperature	:	No data available)
	Decom	position temperature	:	No data available)
	Viscosi Visc	ity osity, dynamic	:	Not applicable	
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance of	r mixture is not classified as oxidizing.
9.2		nformation Ilar weight	:	No data available	2

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02.03.2015	1506496-00001	Date of first issue: 02.03.2015

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Skin contact
exposure		Ingestion
		Eye contact

Acute toxicity

Componente:

Not classified based on available information.

Dec-1-ene, homopolymer, h	ydrogenated:
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	 LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Dec-1-ene, homopolymer, hydrogenated: Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Dec-1-ene, homopolymer, hydrogenated: Species: Rabbit Method: OECD Test Guideline 405 Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Dec-1-ene, homopolymer, hydrogenated:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02.03.2015	1506496-00001	Date of first issue: 02.03.2015

Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Dec-1-ene, homopolymer, hydrogenated: Genotoxicity in vitro : Test Type:

: Test Type: Bacterial reverse mutation assay (AMES) Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Dec-1-ene, homopolymer, hydrogenated:

Effects on fertility

: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Dec-1-ene, homopolymer, hydrogenated: Species: Rat NOAEL: 1,000 mg/kg Application Route: Ingestion Exposure time: 91 d

Aspiration toxicity

Not classified based on available information.

Components:

Dec-1-ene, homopolymer, hydrogenated:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02.03.2015	1506496-00001	Date of first issue: 02.03.2015

SECTION 12: Ecological information

12.1 Toxicity

<u>Components:</u> Dec-1-ene, homopolymer, hydrogenated:				
	LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction			
Toxicity to daphnia and other : aquatic invertebrates	EL50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202			
Toxicity to algae :	EL50 (Scenedesmus capricornutum (fresh water algae)): > 1,000 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201			
	NOELR (Scenedesmus capricornutum (fresh water algae)): 1,000 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201			
Toxicity to bacteria :	NOEC : 2 mg/l Exposure time: 28 d			
Toxicity to daphnia and other : aquatic invertebrates (Chron- ic toxicity)	NOELR: 125 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211			

12.2 Persistence and degradability

Components:

Dec-1-ene, homopolymer, hydrogenated:		
Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 2 % Exposure time: 28 d

12.3 Bioaccumulative potential

Components:

Dec-1-ene, homopolymer, hy	dro	ogenated:
Partition coefficient: n-	:	log Pow: > 6.5
octanol/water		



Version 1.0	Revision Date: 02.03.2015	MSDS Number: 1506496-00001	Date of last issue: - Date of first issue: 02.03.2015	
12.4 Mobility in soil No data available				
12.5 Results of PBT and vPvB assessment Not relevant				
12.6 Other adverse effects No data available				
SECTION 13: Disposal considerations				
13.1 Waste treatment methods				
Prod	uct	According to th are not produc Waste codes s	ccordance with local regulations. le European Waste Catalogue, Waste Codes t specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities.	
Cont	aminated packaging	: Dispose of as Empty containe	unused product. ers should be taken to an approved waste han-	

dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

Remarks

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

: Not applicable

DOW CORNING

MOLYKOTE(R) G-1054 GREASE

Versior 1.0	n Revision Date: 02.03.2015	MSDS Number: 1506496-00001	Date of last issue: - Date of first issue: 02.03.2015	
of	dangerous chemicals			
	REACH - Candidate List of Substances of Very High : Not applicable Concern for Authorisation (Article 59).			
	egulation (EC) No 1005/200 ete the ozone layer	9 on substances that	de- : Not applicable	
	Regulation (EC) No 850/2004 on persistent organic pol- : Not applicable lutants			
	Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major accident hazards involving dangerous substances Not applicable			
	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control o major-accident hazards involving dangerous substances. Not applicable			
Th	e components of this pro	duct are reported in	the following inventories:	
KE	ECI	: All ingredients lis	sted, exempt or notified.	
RE	EACH	: All ingredients (p	pre-)registered or exempt.	
TS	SCA		stances in this material are included on or isting on the TSCA Inventory of Chemical	
Al	CS	: All ingredients lis	sted or exempt.	
IE	CSC	: All ingredients lis	sted or exempt.	
Pl	CCS	: All ingredients lis	sted or exempt.	
DS	SL	1999 and NSNR	estances in this product comply with the CEPA and are on or exempt from listing on the Ca- c Substances List (DSL).	
EN	ICS/ISHL	: All components inventory listing.	are listed on ENCS/ISHL or exempted from	
NZ	ZloC	: All ingredients lis	sted or exempt.	
Inv	ventories			

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02.03.2015	1506496-00001	Date of first issue: 02.03.2015

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Full text of R-Phrases		
R65	:	Harmful: may cause lung damage if swallowed.
Full text of H-Statements		
H304	:	May be fatal if swallowed and enters airways.
Full text of other abbreviation	ns	
Asp. Tox.	:	Aspiration hazard
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN