Page 1/7

\*



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2017

Version number 1

Revision: 05.12.2017

1.1 Proauc	t identifier
Trade nam	e: LONGS AIR DUSTER
Article nui	nber: AKB801
1.2 Releva	<b>nt identified uses of the substance or mixture and uses advised against</b> relevant information available.
SU22 Pro	ssumer uses: Private households / general public / consumers fessional uses: Public domain (administration, education, entertainment, services, craftsmen) <b>tegory</b> PC35 Washing and cleaning products (including solvent based products)
PROC11	ndustrial spraying Non industrial spraying
Application	n of the substance / the mixture Cleaning agent/ Cleaner
	of the supplier of the safety data sheet rer/Supplier: UPLER V
Wolfraamv	
	CC Wolvega
The Nether Tel: +31 (	lands 0)561 694400
Fax: $+31$ (	
	0)301 094411
e-mail info <b>Further in</b>	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h)
e-mail info Further in 1.4 Emerg SECTIO	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification fcation of the substance or mixture
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification faction of the substance or mixture fon according to Regulation (EC) No 1272/2008
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat Aerosol 3	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification faction of the substance or mixture fon according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated.
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label e	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification faction of the substance or mixture fon according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. lements
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label e Labelling o	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification faction of the substance or mixture fon according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. lements faccording to Regulation (EC) No 1272/2008
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label e Labelling o The produc Hazard pic	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification Kation of the substance or mixture fon according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. lements encording to Regulation (EC) No 1272/2008 t is classified and labelled according to the CLP regulation. tograms Void
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label a Labelling o The produc Hazard pio Signal wor	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification Section of the substance or mixture fon according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. lements seccording to Regulation (EC) No 1272/2008 t is classified and labelled according to the CLP regulation. tograms Void d Warning
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label a Labelling o The produc Hazard pic Signal wor Hazard sta	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification Kardian of the substance or mixture fon according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. lements teccording to Regulation (EC) No 1272/2008 t is classified and labelled according to the CLP regulation. tograms Void d Warning tements
e-mail info Further in 1.4 Emerge SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label Labelling of The produc Hagand pio Signal wor Hazard sta H229 Pres	@nl.motipdupli.com Formation obtainable from: Department Product Safety Ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification Section of the substance or mixture For according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. Idements Encording to Regulation (EC) No 1272/2008 t is classified and labelled according to the CLP regulation. tograms Void d Warning tements surised container: May burst if heated.
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classificat Aerosol 3 2.2 Label of Labelling of Hazard sta Hazard sta H229 Pres Precaution	@nl.motipdupli.com formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification Kardian of the substance or mixture fon according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. lements teccording to Regulation (EC) No 1272/2008 t is classified and labelled according to the CLP regulation. tograms Void d Warning tements
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label Labelling of Hazard pio Signal wor Hazard sta H229 Pres Precaution P102 P210	@nl.motipdupli.com Formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification Kation of the substance or mixture fon according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. Imments Excording to Regulation (EC) No 1272/2008 t is classified and labelled according to the CLP regulation. tograms Void d Warning tements surised container: May burst if heated. Experiments Surised container: May burst if heated. t sclassified and labelled according to the CLP regulation. tograms Void d Warning tements surised container: May burst if heated. Aurine to the formation of the formation of the formation. tograms Void d Warning tements surised container: May burst if heated. any statements Keep out of reach of children. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classificat Aerosol 3 2.2 Label of Labelling of Hazard pio Signal wor Hazard sta H229 Press Precaution P102 P210 P251	@nl.motipdupli.com Formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification N 2: Hazards identification Exaction of the substance or mixture For according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. Hements Excording to Regulation (EC) No 1272/2008 t is classified and labelled according to the CLP regulation. tograms Void d Warning tements surised container: May burst if heated. advanting tements surised container: May burst if heated. Avanting tements surised container: May burst if heated. Avanting tements surised container: May burst if heated. advanting tements surised container: May burst if heated. advanting tements surised container: May burst if heated. any statements surised container: May burst if heated. any statements Keep out of reach of children. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use.
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label Labelling of Hazard pio Signal wor Hazard sta H229 Pres Precaution P102 P210 P251 P260	@nl.motipdupli.com Formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h) N 2: Hazards identification Exactly a substance or mixture For according to Regulation (EC) No 1272/2008 H229 Pressurised container: May burst if heated. Hements Excording to Regulation (EC) No 1272/2008 t is classified and labelled according to the CLP regulation. tograms Void d Warning tements servised container: May burst if heated. Auring tements servised container: May burst if heated. Lograms Void d Warning tements servised container: May burst if heated. Auring tements Keep out of reach of children. Keep out of reach of space. Do not breathe spray.
e-mail info Further in 1.4 Emerge SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label e Labelling e The product Hazard pic Signal wor Hazard sta H229 Press Precaution P102 P210 P251 P260 P410+P41 P501	<ul> <li>@nl.motipdupli.com</li> <li>Formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>N 2: Hazards identification</li> <li>N 2: Hazards identification</li> <li>Faction of the substance or mixture fon according to Regulation (EC) No 1272/2008</li> <li>H229 Pressurised container: May burst if heated.</li> <li>Iements</li> <li>Iccording to Regulation (EC) No 1272/2008</li> <li>It is classified and labelled according to the CLP regulation.</li> <li>tograms Void</li> <li>d Warning</li> <li>tements</li> <li>surised container: May burst if heated.</li> <li>ary statements</li> <li>Lee out of reach of children.</li> <li>Keep out of reach of children.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Do not breathe spray.</li> <li>2 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> <li>Dispose of contents / container in accordance with regional regulations.</li> </ul>
e-mail info Further in 1.4 Emerg SECTIO 2.1 Classif Classificat Aerosol 3 2.2 Label e Labelling o The produc Hazard pic Signal wor Hazard sta H229 Pres Precaution P102 P210 P251 P260 P410+P41 P501 2.3 Other 1	<ul> <li>@nl.motipdupli.com</li> <li>Formation obtainable from: Department Product Safety ency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>N 2: Hazards identification</li> <li>N 2: Hazards identification</li> <li>Faction of the substance or mixture fon according to Regulation (EC) No 1272/2008</li> <li>H229 Pressurised container: May burst if heated.</li> <li>Iements</li> <li>Iccording to Regulation (EC) No 1272/2008</li> <li>It is classified and labelled according to the CLP regulation.</li> <li>tograms Void</li> <li>d Warning</li> <li>tements</li> <li>surised container: May burst if heated.</li> <li>ary statements</li> <li>Lee out of reach of children.</li> <li>Keep out of reach of children.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Do not breathe spray.</li> <li>2 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.</li> <li>Dispose of contents / container in accordance with regional regulations.</li> </ul>

Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2017

Version number 1

Revision: 05.12.2017

Trade name: LONGS AIR DUSTER

· vPvB: Not applicable.

**SECTION 3: Composition/information on ingredients** 

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 29118-24-9 ELINCS: 471-480-0 Reg.nr.: 01-0000019758-54

trans-1,3,3,3-Tetrafluoroprop-1-ene Press. Gas L, H280

75-*≤*100%

(Contd. of page 1)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

# SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. No special measures required.

(Contd. on page 3)

ge S,

Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2017

Version number 1

Revision: 05.12.2017

#### Trade name: LONGS AIR DUSTER

(Contd. of page 2) · Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Keep respiratory protective device available. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings with pressurised containers. · Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep container tightly sealed. · Storage class: 2 B • 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** • Additional information about design of technical facilities: No further data; see item 7. · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: • General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Not required. GB

(Contd. on page 4)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2017

Version number 1

Revision: 05.12.2017

Trade name: LONGS AIR DUSTER

(Contd. of page 3)

SECTION 9: Physical and chemic	cal properties
9.1 Information on basic physical and ch	nemical properties
General Information	
Appearance:	
Form:	Aerosol
Colour:	Colourless
Odour:	Ether-like
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Not applicable, as aerosol.
Flash point:	Not applicable, as aerosol.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C (68 °F):	1.17 g/cm <sup>3</sup> (9.76 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	
	0.0 g/l
VOC-EU%	0.00 %
Solids content:	6.0 %
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

GB

Page 5/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2017

Version number 1

Revision: 05.12.2017

Trade name: LONGS AIR DUSTER

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 4)

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- $\cdot$  Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- $\cdot$  **STOT-single exposure** Based on available data, the classification criteria are not met.
- $\cdot \textit{STOT-repeated exposure Based on available data, the classification criteria are not met.}$

 $\cdot \textit{Aspiration hazard Based on available data, the classification criteria are not met.}$ 

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• European waste catalogue 20 01 13\* | solvents

15 01 04 metallic packaging

· Uncleaned packaging:

· Recommendation: Non contaminated packagings may be recycled.

· 14.1 UN-Number		
· ADR, IMDG, IATA	UN1950	
· 14.2 UN proper shipping name		
$\cdot ADR$	1950 AEROSOLS	

Page 6/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2017

Version number 1

Revision: 05.12.2017

Trade name: LONGS AIR DUSTER

	(Contd. of page
IMDG IATA	AEROSOLS AEROSOLS, non-flammable
14.3 Transport hazard class(es)	
ADR	
<b>V</b>	
Class	2 5A Gases.
Label	2.2
IMDG, IATA	
Class	2.2
Label	2.2 2.2
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F- $D$ , $S$ - $U$
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litr
	Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear
	of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre
	Segregation as for class 9. Stow "separated from" class 1
	except for division 1.4. For AEROSOLS with a capacity
	above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Subarision of class 2. For WASTE AEROSOLS. Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E0
<b>T</b>	Not permitted as Excepted Quantity
Transport category Tunnel restriction code	3 E
	1L
IMDG Limited quantities (LO)	
Limited quantities (LQ)	
	Code: E0 Not permitted as Excepted Quantity
Limited quantities (LQ)	Code: E0

GB -

Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.12.2017

Version number 1

Revision: 05.12.2017

(Contd. of page 6)

GR

Trade name: LONGS AIR DUSTER

· UN ''Model Regulation'':

UN 1950 AEROSOLS, 2.2

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H280 Contains gas under pressure; may explode if heated.

- · Department issuing SDS: R&D legislation and regulatory advisor
- · Contact: Mr. K. Smedeman
- Abbreviations and acronyms:
   ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
   IMDG: International Maritime Code for Dangerous Goods
   IATA: International Air Transport Association
   GHS: Globally Harmonised System of Classification and Labelling of Chemicals
   EINECS: European Inventory of Existing Commercial Chemical Substances
   ELINCS: European List of Notified Chemical Substances
   CAS: Chemical Abstracts Service (division of the American Chemical Society)
   VOC: Volatile Organic Compounds (USA, EU)
   PBT: Persistent, Bioaccumulative and Toxic
   vPvB: very Persistent and very Bioaccumulative
   Aerosol 3: Aerosols Category 3
   Press. Gas L: Gases under pressure Liquefied gas
   \* Data compared to the previous version altered.